

NADAIR®



**SIMPLIFIED AND
HEALTHIER LIFE!**

www.Nadair.com



A SOLID REPUTATION

Known since 1980 for its European concept of matching ceiling fans and lighting with home décor trends, Nadair is also a long-time manufacturer of central vacuum systems.

Nadair North America is headquartered in Laval, Canada. Strategic for both air and ground transportation, this location also gives the company an edge in both European and North American cultures and markets. Our exclusive partner in France helps us stay a step ahead of new trends—a key piece in our enviable reputation as manufacturers of innovative electrical products.

A SUCCESSFUL VENTURE

As a vertically integrated company, at Nadair, we control every aspect of our production: from the initial design to quality control, marketing and distribution. Thanks to this structure, our company offers products tailored to our customers' needs. Uncontended quality, inviting design and enticing prices are among the reasons we are leaders in our industry.

DESIGN ORIENTED FOR A SIMPLIFIED LIFE

Our sleek spun-aluminum system's inviting curves recall modern luxury appliances. Their innovative European features discretely fit into your customer's day-to-day lives, enhancing quality of life. Our models soft-start technology is easy on our world-renowned motors, while our soft-delayed stop technology means hoses empty in the debris canister, not on the floor.

Three times more powerful than industry standards for portable machines, our long-lasting motors and power units are also among the least intrusive available—so quiet, actually, you can hold a conversation next to our powered-on units.

Our hose design is no exception to our European attention to detail. Our swivel wall-mounted end cuff and swivel handles make cleaning quick and carefree. Gone are the irritating pinched or rolled hoses—a true innovation Nadair brings to the vacuum cleaner industry.

Our exclusive European-kitchen concept makes it easy to quickly vacuum up those morning toast crumbs. It also allows owners of homes 2,300 sq. ft. or smaller to use this same kitchen vacuum to clean the whole house from just one inlet.

Our attachments adapt automatically from bare floor to carpet. Our premium brush attachments are made only of horsehair, a traditional yet rare mark of quality.

TABLE OF CONTENTS

FOR A SIMPLIFIED AND HEALTHIER LIFE!	4
Hybrid: full-size systems.....	6
Hybrid: compact systems	8
Restrained-application systems.....	10
Light commercial systems.....	12
Technical specifications.....	13
Retractable hose systems.....	14
In-cabinet vacuum concept.....	15
Cover up to 2,300 sq. ft. with a single inlet.....	16
Retractable hose - attachment kit.....	17
High-voltage attachment kit with carpet beaters	18
Low-voltage attachment kit with air-driven carpet beater	20
Attachment kit for hard surfaces	21
Garage attachment	22
Accessories and other parts	23
Warranty	24



FOR A SIMPLIFIED AND



HYBRID FILTRATION

With its top-of-the-line filtration, Nadair central vacuums will improve air quality in your home. Since their high-efficiency filtration systems are 99.97%, our vacuums may reduce your allergy symptoms and respiratory problems.

Using high-efficiency cyclonic filtration (99.97%) and disposable filtration bags, our vacuums filter vitiated air twice, greatly improving exhaust air quality. When our cyclonic filtration is combined with a permanent machine-washable filter, our units filter exhaust air up to 99.97%.

Triple-layer filtration bags conveniently dispose of waste in the dirt receptacle without stirring up harmful airborne dust. This system filters vacuumed air up to 99.97%. The three layers of the filtration system prevent the bag from ripping.

TECHNOLOGY AND INNOVATION

Whichever Nadair central vacuum unit you choose, you will be cleaning with cutting edge technology!

Our soft-start technology adds 20% to the life expectancy of your NADAIR product's motor (over traditional central vacuums). Our soft-stop three-second delay technology vacuums debris out of the hose. This keeps left-over debris from emptying onto the floor and the elbows of the piping network from getting clogged.

Silent power units also make for healthier lives. To enhance our initial design choice of a quieter and more-efficient motor, we added a noise-blocking foam, like that found in recording studios. Once installed in a closed space, our systems make about as much noise as a wall-mounted air conditioning unit.



HEALTHIER LIFE!

PAYING ATTENTION TO EVERY DETAIL

Our hand-spun aluminum vacuums are robust, yet lightweight. Created with a welding-free cold-spinning technique, our products are optimally solid and non-corroding. Since most central vacuums are installed in damp places, like basements and garages, this attention to detail makes Nadair central vacuums a first choice for durable and long-lasting systems. What's more, aluminum conducts more than half the static electricity of plastic and steel. This means maintenance is also halved!

At Nadair, we have reviewed every element of our design with an eye to our units longevity. We leave nothing to chance. Here are a few examples of NADAIR's attention to detail:

- Our heat protection feature prevents our motors from overheating.
- Our innovative one-piece air-containment gaskets prevent air loss and reduced suction over time

- Our exclusive installation bracket is equipped with rubber vibration and noise-cancelling inserts
- Our debris-canister latches can be installed anywhere on our cylinders, making it easy to empty and put your unit back into its difficult-to-access spot.

EXCLUSIVITY

We understand our customers are looking for personalized systems tailored to their everyday needs. Our dedicated team of authorized dealers and installers will guide you to the central vacuum system that suits your needs.

In addition to this local contact, our bilingual customer service team will be happy to answer any questions



HYBRID: FULL-SIZE SYSTEMS

POWERFUL

- Vigorous *2-Stage Motor*
- *SOFT-START TECHNOLOGY* –
Extends product life by 20%¹

SILENT

As quiet as your
air-conditioning unit²

HYBRID FILTRATION

- Cyclonic filtration with
no loss of suction
- Triple-layer *disposable filter
bags* (22.5 L / 5.8 gal. capacity)
- Empty once or twice a year



SMART CONTROL PANEL

- *SOFT-STOP TECHNOLOGY* –
Vacuums all debris out of the
hose, thanks to a 3-second
timed delay
- *LED STATUS INDICATOR* –
Informs users of product status
(time to empty the debris
container, to change the bag
or for maintenance)

BOTTOM-LOAD MECHANISM

Ensures access for emptying the
32 L. or 8.5 gal. dirt receptacle or
replacing the disposable bag, even
when the unit is installed up high.

Depth:
360 mm / 14.17 in

1. Compared to systems without soft-stop or equivalent technology.
2. Compared to average air-conditioning unit.

Up to:
10,000 sq. ft.

Nadair 700AL-32



AIRWATTS
700



SUCTION (in.H2O)
141



NOISE LEVEL (dB)
70

Perfect for large or multiple homes!

This large capacity and very powerful, yet ultra-quiet, unit can cover up to 10,000 sq. ft. Or, it can also be installed with **three retractable hose systems**. This unit can be used with a permanent machine-washable cyclonic filtration filter and a **triple-layer disposable filtration bag**.



A **TRUE HEPA** cyclonic filter (FP-12-HEPA, sold separately) is installed on this unit, the level of cleanliness is equivalent to the filtration seen in hospital operating rooms. **Filters air at 99.99%.**

Up to:
9,000 sq. ft.

Nadair 600AL-32



AIRWATTS
600



SUCTION (in.H2O)
140



NOISE LEVEL (dB)
68

Perfect for regular-sized homes, large families and their pets!

This large capacity and very powerful, yet ultra-quiet, unit can cover up to 9,000 sq. ft. or be installed with **two retractable hose systems**. This unit can be used with a permanent machine-washable cyclonic filtration filter and **triple-layer disposable filtration bag**.



HYBRID: COMPACT SYSTEMS



POWERFUL


- Vigorous *2-Stage Motor*
- *SOFT-START TECHNOLOGY* – Extends product life by 20%¹

SILENT

As quiet as your air-conditioning unit²

HYBRID FILTRATION

- Cyclonic filtration with *no loss of suction*
- Triple-layer *disposable filter bags* (12.5 L / 3.2 gal. capacity)
- Empty once or twice a year



Depth: 360 mm / 14.17 in

SMART CONTROL PANEL

- *SOFT-STOP TECHNOLOGY* – Vacuums all debris out of the hose, thanks to a 3-second timed delay
- *LED STATUS INDICATOR* – Informs users of product status (time to empty the debris container, to change the bag or for maintenance)

BOTTOM-LOAD MECHANISM

Ensures access for emptying the *22 L. or 5.8 gal.* dirt receptacle or replacing the disposable bag, even when the unit is installed up high.

1. Compared to systems without soft-stop or equivalent technology.
2. Compared to average air-conditioning unit.

Up to:
7,000 sq. ft.

NADAIR 700AL-22



AIRWATTS
700



SUCTION (in.H2O)
141



NOISE LEVEL (dB)
68

Perfect for large or multiple homes requiring a compact unit for tight locations.

This compact and very powerful, yet ultra-quiet, unit can cover up to 7,000 sq. ft. or be installed with **three retractable hose systems**. This unit can be used with a permanent machine washable cyclonic filtration filter and a triple-layer disposable filtration bag.



A **TRUE HEPA** cyclonic filter (FP-8-HEPA, sold separately) is installed on this unit, the level of cleanliness is equivalent to the filtration seen in hospital operating rooms. **Filters air at 99.99%.**

Up to:
6,000 sq. ft.

Nadair 600AL-22



AIRWATTS
600



SUCTION (in.H2O)
140



NOISE LEVEL (dB)
65

Perfect for spacious homes, large families and their pets requiring compact units for tight locations.

This large-capacity and very powerful, yet ultra-quiet, unit can cover up to 6,000 sq. ft. or be installed with **two retractable hose systems**. This unit can be used with a permanent machine-washable cyclonic filtration filter and a **triple-layer disposable filtration bag**.



RESTRAINED-APPLICATION SYSTEMS



Ideal for places with restrained spaces and access is difficult (laundry room, staircase or cabinets)

POWERFUL

- Vigorous 2-Stage Motor.
- **SOFT-START TECHNOLOGY** – Extends product life by 20%¹

SILENT

As quiet as your air-conditioning unit²

TRIPLE-LAYER DISPOSABLE FILTRATION BAGS

12.5 L / 3.2 gal. capacity



SMART CONTROL PANEL

- **SOFT-STOP TECHNOLOGY** – Vacuums all debris out of the hose, thanks to a 3-second timed delay
- **LED STATUS INDICATOR** – Informs users of product status (time to empty the debris container, to change the bag or for maintenance)

TOP LOAD MECHANISM

This unique and ultra-compact loading mechanism makes it possible to install the unit in tight spaces, like cabinets.

¹ Compared to systems without soft-stop or equivalent technology.
² Compared to average air-conditioning unit.

Up to:
5,000 sq. ft.

NADAIR 700AL-18



AIRWATTS
700



SUCTION (in.H2O)
141



NOISE LEVEL (dB)
62

For large or multiple homes with very tight locations for their central vacuum systems.

This **ultra-compact** and **very powerful**, yet **ultra-quiet**, unit can cover up to 5,000 sq. ft. or be installed with **two retractable hose systems**. It uses a top-loading mechanism for the installation and maintenance of its 12.5L/3.2 Gal. triple-layer disposable filtration bags that **filters the air up to 99.97%**.



Up to:
4,000 sq. ft.

NADAIR 600AL-18



AIRWATTS
600



SUCTION (in.H2O)
140



NOISE LEVEL (dB)
60

For studios, condos, apartments, recreational vehicles or yachts.

Also perfect for a kitchen system!

This **ultra-compact** and **very powerful**, yet **ultra-quiet**, unit can cover up to 4,000 sq. ft. or be installed with two retractable hose systems. It uses a top-load mechanism for the installation and maintenance of triple-layer disposable filtration bags **filters the air up to 99.97%**.



LIGHT COMMERCIAL SYSTEMS

DURABLE AND POWERFUL


- Vigorous 2-Stage Motor with an individual cooling system, this unit may be linked to multiple motor heads to decouple the vacuum power
- **SOFT-START TECHNOLOGY** – Extends product life by 20%¹

SILENT

As quiet as your air-conditioning unit²

HYBRID FILTRATION

- Cyclonic filtration with no loss of suction
- Triple-layer disposable filter bags (22.5 L / 5.8 gal. capacity)
- Empty once or twice a year



Depth: 360 mm / 14.17 in

SMART CONTROL PANEL

- **SOFT-STOP TECHNOLOGY** – Vacuums all debris out of the hose, thanks to a 3-second timed delay
- **LED STATUS INDICATOR** – Informs users of product status (time to empty the debris container, to change the bag or for maintenance)

BOTTOM-LOAD MECHANISM

Ensures access for emptying the 32 L. or 8.5 gal. dirt receptacle or replacing the disposable bag, even when the unit is installed up high.

Up to:
9,550 sq. ft.

Perfect for light commercial use or very large homes.

This large capacity and very powerful, yet ultra-quiet, unit can cover up to 9,550 sq. ft. or be installed with a single retractable hose systems. This unit can be used with either a permanent machine-washable cyclonic filtration filter or a triple-layer disposable filtration bag.

Perfect for light commercial use or very large homes. If needed, the unit can be connected to additional motors. This increases the vacuum power to cover the desired area or may be necessary according to the number of inlets and retractable hoses operating simultaneously.

A **TRUE HEPA** cyclonic filter (FP-12-HEPA, sold separately) is installed on this unit, the level of cleanliness is equivalent to the filtration seen in hospital operating rooms. **Filters air at 99.99%.**



NADAIR 655AL-32



AIRWATTS
655



SUCTION (in.H2O)
115,5



NOISE LEVEL (dB)
58*

1. Compared to systems without soft-stop or equivalent technology.

2. Compared to average air-conditioning unit.

* Only for a main unit equipped with a muffler.

TECHNICAL SPECIFICATIONS

HYBRID: FULL-SIZE SYSTEMS

	700-AL-32	600-AL-32
Width	351 mm • 13.82 in	
Depth	360 mm • 14.17 in	
Height	767 mm • 30.20 in	
Inlet amount	1 to 8	1 to 6
Retractable hose amount	1 to 3	1 to 2
Area Coverable (sq ²)	10,000	9,000
Motor Type	Thru-Flow	
Amperes	15.10	13.80
Volts AC	110-120	
Watts	1,744	1,670
Waterlift in H ₂ O	3,568.70 mm 140.50 in	3,578.86 mm 140.90 in
Airflow	66.17 L/sec 140.20 p ³ /m	59.98 L/sec 127.10 p ³ /m
Air Watts	700	600
Dust bin capacity	32 L • 8.45 gal. US	
Disposable Bag	22.50 L • 5.94 gal. US	
Permanent filter	Polypropylene	
Sound level	70 DbA - ASTM	68 DbA - ASTM

HYBRID: COMPACT SYSTEMS

	700-AL-22	600-AL-22
Width	351 mm • 13.82 in	
Depth	360 mm • 14.17 in	
Hauteur	606 mm • 23.86 in	
Inlet amount	1 to 8	1 to 6
Retractable hose amount	1 to 3	1 to 2
Area Coverable (sq ²)	7,000	6,000
Motor Type	Thru-Flow	
Amperes	15.10	13.80
Volts AC	110-120	
Watts	1,744	1,670
Waterlift in H ₂ O	3,568.70 mm 140.50 in	3,578.86 mm 140.90 in
Airflow	66.17 L/sec 140.20 p ³ /m	59.98 L/sec 127.10 p ³ /m
Air Watts	700	600
Dust bin capacity	22 L • 5.81 gal. US	
Disposable Bag	12.50 L • 3.30 gal. US	
Permanent filter	Polypropylene	
Sound level	68 DbA - ASTM	65 DbA - ASTM

RESTRAINED-APPLICATION SYSTEMS

	700-AL-18	600-AL-18
Width	290 mm • 11.42 in	
Depth	300 mm • 11.82 in	
Hauteur	540 mm • 21.25 in	
Inlet amount	1 to 6	1 to 5
Retractable hose amount	1 to 2	1
Area Coverable (sq ²)	5,000	4,000
Motor Type	Thru-Flow	
Amperes	15.10	13.80
Volts AC	110-120	
Watts	1,744	1,670
Waterlift in H ₂ O	3,568.70 mm 140.50 in	3,578.86 mm 140.90 in
Airflow	66.17 L/sec 140.20 p ³ /m	59.98 L/sec 127.10 p ³ /m
Air Watts	700	600
Dust bin capacity	18 L • 4.76 US gal.	
Disposable Bag	12.50 L • 3.30 US gal.	
Permanent filter	Polypropylene	
Sound level	62 DbA - ASTM	60 DbA - ASTM

LIGHT COMMERCIAL SYSTEMS

	655-AL-32
Width	351 mm • 13.82 in
Depth	360 mm • 14.17 in
Hauteur	767 mm • 30.20 in
Inlet amount	1 to 7
Retractable hose amount	1 and +*
Area Coverable (sq ²)	9,500 and +*
Motor Type	Tangential
Amperes	14.70
Volts AC	110-120
Watts	1,735
Waterlift in H ₂ O	2,933 mm • 115.50 in
Airflow	66.97 L/sec • 141.90 p ³ /m
Air Watts	655
Dust bin capacity	32 L • 8.45 US gal.
Disposable Bag	22.50 L • 5.94 US gal.
Permanent filter	Polypropylene
Sound level	58 DbA - ASTM

*If linked to one or multiple additional motor(s)

RETRACTABLE HOSE SYSTEMS

NO MORE CARRYING, COILING OR STORING A BULKY HOSE AGAIN.

Now you can **eliminate carrying a bulky hose** up and down stairs or from room to room. (No storing it either!) Simply pull out the length of hose needed for the job, connect your choice of attachment and begin vacuuming. It's that easy. When finished, the system **uses the suction from the central vacuum power unit to retract the hose** into the PVC tubing installed in the walls of your home.

Behind each inlet valve, up to 50 feet of central vacuum hose can be stored in the tubing within your walls. Since longer hoses can also be used (one hose covers up to 2,300 square feet), Hide A-Hose reduces the number of inlet valves required for whole-house coverage. This will save you installation time.

No more dragging a hose from inlet to inlet. No more carrying, coiling and storing a bulky hose. Simple cleanups are just that: simple!



*Install one in the
kitchen cabinet for
quick cleanup!*

*A retractable
hose system
covering up to
2,300 sq. ft.*



IN-CABINET VACUUM CONCEPT

Nadair's exclusive in-cabinet vacuum concept is a must-have for those without space to store a central vacuum system or for people looking for a **quick-and-easy kitchen cleaning** option.

If used with a retractable hose system, your entire installation will require **less space** than a canister or upright-portable vacuum.

Ideal for condos, studios, high-end rental properties, recreational vehicles and boats.



*A toe-kick
activated inlet for
quick cleanup
with the broom
attachment*



COVER UP TO 2,300 SQ. FT. WITH A SINGLE INLET

1. CHOOSE YOUR INLET TYPE

a. Retractable-hose system

INSV-HS4000-WH (white)
INSV-HS4000-BK (black)



Black White

b. Dual-function (vacuum and toe-kick in one inlet!)

INSV-VS2-WH (white)



White

c. Toe-kick sweep

INSV-VS-BK (black)
INSV-VS-WH (white)
INSV-VS-SS (silver)



Black White Silver

d. Traditional

INSV-TP-BK (black)
INSV-TP-WH (white)



Black White

Paintable white inlet to match cabinet color finish or black.

2. CHOOSE YOUR HOSE FOR QUICK CLEAN-UP

Chrome hose hanger included.



ACCHO-FLX-30

FLEX: Using the vacuum's suction, the hose compresses from its full length of 30 ft. to a storage length of only 10 ft.

3. CHOOSE THE ATTACHMENT AND TOOL KIT THAT CORRESPONDS TO YOUR FLOOR TYPE.

See next page.

RETRACTABLE HOSE ATTACHMENT KIT

KIT-RH-40/50/60

1. Retractable hose available in lengths of 40', 50' and 60'
2. Adjustable wand with button lock
3. 12" horsehair brush, with straight cut bristles
4. Deluxe dusting brush
5. Upholstery brush
6. Tool for cleaning cracks and crannies
7. Deluxe accessory holder bag
8. Chrome hose hanger



HIGH-VELOCITY AIR-DRIVEN CARPET BEATER

ACC-284-BK



Made in
Germany



A must-have for those with carpeted homes who want a retractable hose system

SOLD SEPARATELY

*AREAS OF VARYING SIZES
CAN BE COVERED DURING
CLEANING, USING DIFFERENT
LENGTHS OF HOSES:*

40' = 1,600 sq. ft.

50' = 1,950 sq. ft.

60' = 2,300 sq. ft.




HIGH-VOLTAGE ATTACHMENT KIT WITH CARPET BEATERS

KIT-06-30/35/40-360W

1. German-made carpet beater with SOFT-CLEAN technology
 - Adjustable five-height carpet beater makes it possible to clean carpets of every thickness and material
 - LEDs light up under furniture
 - Available in lengths of 30', 35' and 40'
 - Convertible hose wall-mounted end cuff for super-valve inlet systems (sold separately)
2. ON-OFF high-voltage carrying hose with pigtail
3. High-voltage stainless-steel telescopic wand with a direct-connect system
4. Additional adjustable wand with button lock
5. German-made high-capacity 12" horsehair floor brush with double swivel
6. Deluxe horsehair dusting brush
7. Upholstery brush
8. Tool for cleaning cracks and crannies
9. Deluxe accessory holder bag
10. Chrome hose hanger

*Designed to clean
shag carpets*



Linoleum



Ceramic



Wood



Carpet



KIT-06-30/35/40-280W

1. German-made carpet beater with slim profile
 - Auto-stop clogging technology
 - Available in lengths of 30', 35' and 40'
 - Convertible hose wall-mounted end cuff for super-valve inlet systems (sold separately)
2. ON-OFF high-voltage carrying hose with pigtail
3. High-voltage stainless-steel telescopic wand with a direct-connect system
4. Additional adjustable wand with button lock
5. 12" horsehair brush, with straight cut bristles
6. Deluxe horsehair dusting brush
7. Upholstery brush
8. Tool for cleaning cracks and crannies
9. Deluxe accessory holder bag
10. Chrome hose hanger

*SlimProfile
carpet beater made
for cleaning under
low furniture!*



Linoleum



Ceramic



Wood



Carpet



Made in
Germany



LOW-VOLTAGE ATTACHMENT KIT WITH AIR-DRIVEN CARPET BEATER

KIT-02-30/35/40-284W

1. German-made high-velocity air-driven carpet beater
 - Available in lengths of 30', 35' and 40'
2. ON-OFF low-voltage hose with 360° swivelling wall-mounted end cuff
3. Adjustable wand with button lock
4. 12" horsehair brush with straight-cut bristles
5. Deluxe horsehair dusting brush
6. Upholstery brush
7. Tool for cleaning cracks and crannies
8. Deluxe accessory holder bag
9. Chrome hose hanger

*Ideal for
short-hair carpets
and rugs*



Linoleum



Ceramic





Wood



Carpet



Made in
Germany



Anti-kinking mechanism:
360° swivelling wall-
mounted end cuff

ATTACHMENT KIT FOR HARD SURFACES

KIT-02-30/35/40-330W

1. German-made 12" horsehair floor brush with double swivel
 - Available in lengths of 30', 35' and 40'
2. ON-OFF low-voltage hose with 360° swivelling wall-mounted end cuff
3. Adjustable stainless-steel wand with button lock
4. Deluxe horsehair dusting brush
5. Upholstery brush
6. Tool for cleaning cracks and crannies
7. Deluxe accessory holder bag
8. Chrome hose hanger



*Ideal for wood,
slate, ceramic and
concrete floors!*

*Double-swivel technology:
Fits easily under tables and sofas.
Easy to manoeuvre in those tight,
difficult-to-vacuum spots.*



Linoleum



Ceramic



Wood



Made in
Germany



*Anti-kinking mechanism:
360° swivelling wall-
mounted end cuff*

GARAGE ATTACHMENT

KIT-01-30G

1. Combo brush
2. 30' straight air hose
3. Adjustable wand with button lock
4. Dusting brush
5. Upholstery brush
6. Tool for cleaning cracks and crannies
7. Deluxe accessory holder bag
8. Chrome hose hanger



MINI AIR-DRIVEN CAR CARPET BEATER ACC-160-BK



Mini air-driven carpet brush for cars.

SOLD SEPARATELY



Made in Germany

PROFESSIONAL TILE FLOOR BRUSH ACC-285-BK



Floor brush designed for superior cleaning of tiles and concrete floors .

SOLD SEPARATELY



Fabriqué en Allemagne



ACCESSORIES AND OTHER PARTS

Available in 3 lengths



UNIVERSAL REPLACEMENT HOSES

LOW-VOLTAGE HOSE: ACCHO-30/35/40LV-SW

- Fits in most inlets
- ON-OFF feature on the handle
- Available in lengths of 30', 35', 40'

**ANTI-KINKING
MECHANISM**



HIGH-VOLTAGE CARRYING HOSE: ACCHO-30/35/40HV-BK

- Fits into most inlets
- ON-OFF feature and on-off for carpet beater feature
- Available in lengths of 30', 35', 40'
- Convertible hose with a wall-mounted end cuff for super-valve inlet systems (sold separately)



HOSE ACCESSORIES

UNIVERSAL PADDED HOSE COVER: ACCHO-COV30/35/40ZIP-GY

- Machine washable
- Easy-to-install/uninstall zippered hose cover
- Available in lengths of 32', 37' and 42'



HOSE EXTENSION: ACCHO-15LV-EXT

Low-voltage hose extension of 15 feet for special cases where longer is needed.

TRUE HEPA DISPOSABLE FILTERS

Convert your system to the highest standard in the filtration industry. true hepa filtration is the same filtration grade as that used in hospitals.

FP-8-HEPA: HEPA filter for 600AL-22 and 700AL-22.

FP-12-HEPA: HEPA filter for 700AL-32, 655AL-32 and 600AL-32.



TRIPLE-LAYER DISPOSABLE FILTRATION BAGS (pack of 3)

FD-12.5L-3-NAD:

Disposable filtration bags. 12.5 L/3.2 gal. for 600AL-18, 700AL-18, 600AL-22, 700AL-22.

FD-22.5L-3-NAD:

Disposable filtration bags. 22.5 L/5.8 gal. for 600AL-32, 655AL-32 AND 700AL-32.





WARRANTY

The **Nadair Warranty** on the central vacuum system & power unit is only valid for the original owner and is non-transferable. The use of electrical power other than prescribed on the unit and/or any repair(s) made by other than authorized service person will render this warranty null & void. The warranty will also be null & void if the system and/or its accessories have been used on wet surfaces. This warranty is for residential application only; this warranty does not cover commercial or industrial usage of the product. Proof of purchase is mandatory.

The Central Vacuum Power Unit Body - Lifetime (25 years)

Nadair will, at no cost, for twenty five (25) years repair or replace any defective parts of the central vacuum body, housing & dust bin as long as you own it if, used in normal conditions and properly maintained as stated in the power unit instruction manual.

The Central Vacuum Power Unit's Motor & Module - Ten (10) years

Nadair will, at no cost, repair or replace any defective motor or electronic module of the central vacuum power unit for the first ten (10) years following the purchase date if, used in normal conditions and properly maintained as stated in the power unit instruction manual.

Cleaning tools, carpet brushes and flexible hoses, five (5) years

The cleaning tools, the carpet brushes and the flexible hoses used adequately and in normal conditions, are warranted for a period of five (5) years, following the original date of purchase, against manufacturing defects. This warranty does not cover the normal wear of bristles, belts, carbon brushes and rolling bearings of the carpet beaters.